



Safety Data Sheet

according to WHS Regulations

Page 1/6

Printing date 18.12.2018

Revision: 18.12.2018

1 Identification

Product Name: DYNAGRIP THICK CA HOBBY GLUE P/N 13416 20gm

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Adhesive

Details of Manufacturer or Importer:

AFC International Pty Ltd
21-23 Hobart St
Riverstone NSW 2765

Phone Number: 02 9627 7125

Emergency telephone number: National Poison Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



Skin Corrosion/Irritation 2

H315 Causes skin irritation.

Serious Eye Damage/Irritation 2A

H319 Causes serious eye irritation.

STOT SE 3

H335 May cause respiratory irritation.

Flammable Liquids 4

H227 Combustible liquid.

Signal Word Warning

Hazard Statements

H227 Combustible liquid.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary Statements

P210 Keep away from flames and hot surfaces. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use to extinguish: CO₂, powder or water spray.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 18.12.2018

Revision: 18.12.2018

Product Name: DYNAGRIP THICK CA HOBBY GLUE P/N 13416 20gm

(Contd. of page 1)

P405

Store locked up.

P501

Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 7085-85-0	Ethyl 2-cyanoacrylate	80 - 99%
	⚠ Skin Corrosion/Irritation 2, H315; Serious Eye Damage/Irritation 2A, H319; STOT SE 3, H335	

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Do not pull apart bonded skin. If lips are bonded together apply warm water and peel or roll lips apart. Do not pull lips apart with direct opposing force. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. If eyelids are bonded closed wash with warm water and cover eye with a wet pad. Do not force eyes open. Debonding will usually occur within 3 days. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Ensure airways are not obstructed. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Product will polymerise rapidly and bond to mouth making swallowing difficult or impossible. Saliva will help to separate solidified product within hours.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation.

Skin Contact: Causes skin irritation. Bonds skin within seconds. Large quantities generate significant amounts of heat during curing and may cause skin burns.

Eye Contact: Causes serious eye irritation and lachrymation.

Ingestion: Rapidly polymerises and bonds mouth and throat. May cause obstruction.

5 Fire Fighting Measures

Suitable Extinguishing Media: Water fog, foam, dry chemical or carbon dioxide. Do not use full water jet.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and nitrogen, smoke and irritating organic vapours.

Combustible liquid. Polymerisation will occur in the presence of water, amines, bases and alcohol.

Polymerisation may generate significant amounts of heat.

Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 18.12.2018

Revision: 18.12.2018

Product Name: DYNAGRIP THICK CA HOBBY GLUE P/N 13416 20gm

(Contd. of page 2)

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so. Flood area with water to complete polymerisation and then scrape up cured product. Do not mop up with cloth. Collect the spilt material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Take precautionary measures against static discharge. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames and other sources of ignition. Keep away from water, amines, bases and alcohols. For maximum shelf-life store in original containers at 2 - 8 °C.

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Use an approved respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Polyethylene, polypropylene or nitrile rubber gloves are recommended. Do not use PVC, rubber, nylon or cotton gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 18.12.2018

Revision: 18.12.2018

Product Name: DYNAGRIP THICK CA HOBBY GLUE P/N 13416 20gm

(Contd. of page 3)

9 Physical and Chemical Properties

Appearance:	
Form:	Liquid
Colour:	Transparent, colourless
Odour:	Pungent
Odour Threshold:	Not determined
pH-Value:	Not determined.
Melting point/freezing point:	-31 °C
Initial Boiling Point/Boiling Range:	214 °C
Flash Point:	82.5 °C
Flammability:	Product is not flammable.
Auto-ignition Temperature:	480 °C
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	Not applicable
Upper:	Not applicable
Vapour Pressure:	≤21 Pa
Density at 20 °C:	1.043 g/cm ³
Vapour Density:	Not determined.
Evaporation Rate:	Not determined.
Solubility in Water:	≤0.024 mg/l
Solubility in Solvents:	91.8% recovery in acetone 96.5% recovery in acetonitrile
Partition Coefficient (n-octanol/water):	0.776 log POW (Calculated)

10 Stability and Reactivity

Possibility of Hazardous Reactions:

Polymerisation will occur in the presence of water, amines, bases and alcohol. Polymerisation may generate significant amounts of heat.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Heat, sparks, open flames and other sources of ignition.

Incompatible Materials: Water, amines, bases and alcohols.

Hazardous Decomposition Products: Oxides of carbon and nitrogen, smoke and irritating organic vapours.

11 Toxicological Information

Toxicity:

LD₅₀/LC₅₀ Values Relevant for Classification:

Oral	LD ₅₀	>5000 mg/kg (rat)
Dermal	LD ₅₀	>2000 mg/kg (rabbit)

Acute Health Effects

Inhalation: May cause respiratory irritation.

Skin:

Causes skin irritation. Bonds skin within seconds. Large quantities generate significant amounts of heat during curing and may cause skin burns.

Eye: Causes serious eye irritation and lachrymation.

Ingestion: Rapidly polymerises and bonds mouth and throat. May cause obstruction.

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 18.12.2018

Revision: 18.12.2018

Product Name: DYNAGRIP THICK CA HOBBY GLUE P/N 13416 20gm

(Contd. of page 4)

Skin Corrosion / Irritation: Causes skin irritation.**Serious Eye Damage / Irritation:** Causes serious eye irritation.**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:** This product does NOT contain any IARC listed chemicals.**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:** May cause respiratory irritation.**Specific Target Organ Toxicity (STOT) - Repeated Exposure:**
Based on classification principles, the classification criteria are not met.**Aspiration Hazard:** Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** Prolonged exposure to vapours may be harmful to sensitive individuals.**Existing Conditions Aggravated by Exposure:** No information available**Additional toxicological information:** No information available

12 Ecological Information

Ecotoxicity: This product has low ecotoxicity.**Aquatic toxicity:** No further relevant information available.**Persistence and Degradability:** This product will polymerise on contact with water to form an inert solid.**Bioaccumulative Potential:** No further relevant information available.**Mobility in Soil:** This product will polymerise on contact with water to form an inert, immobile solid.**Other adverse effects:** No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number Not regulated**Proper Shipping Name** Not regulated**Dangerous Goods Class** Not regulated**Packing Group:** Not regulated

15 Regulatory Information

Australian Inventory of Chemical Substances:

CAS: 7085-85-0 Ethyl 2-cyanoacrylate

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 18.12.2018

Revision: 18.12.2018

Product Name: DYNAGRIP THICK CA HOBBY GLUE P/N 13416 20gm

(Contd. of page 5)

16 Other Information

Date of Preparation or Last Revision: 18.12.2018**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au**Abbreviations and acronyms:**

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC₅₀: Lethal concentration, 50 percentLD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 4: Flammable liquids – Category 4

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Serious Eye Damage/Irritation 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. AFC International Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.