



According to Safe Work Australia

Printing date 11.03.2016 Revision: 25.01.2021

1. IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product Name: DYNAGRIP DISC BRAKE SQUEAL FREE 118mL - 49661

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Disc brake silencer

Details of Manufacturer or Importer:

AFC International Pty Ltd 21-23 Hobart Street Riverstone NSW 2765

Phone Number: +61 2 9627 7125

Emergency telephone number: +61 2 9627 7125

2. HAZARDS IDENTIFICATION

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Signal Word Danger

Hazard Statements

H314 Causes severe skin burns and eye damage.

Precautionary Statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash hands thoroughly after handling.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P363 Wash contaminated clothing before reuse.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

Additional Information AUH066 Repeated exposure may cause skin dryness or cracking.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:		
1310-58-3 Potassium hydroxide	Skin Corr. 1A, H314;	<5%
(Contd. on nows 2)		

According to Safe Work Australia

Printing date 11.03.2016 Revisio: 25.01.2021n

Product Name: DYNAGRIP DISC BRAKE SQUEAL FREE 118mL - 49661

(Contd. of page 1)

4. FIRST AID MEASURES

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eve Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms persist.

Ingestion:

If swallowed, do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention

Symptoms Caused by Exposure:

Skin Contact: Causes severe skin burns. Eye Contact: Causes serious eye damage. Ingestion: May be harmful if swallowed.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon.

Product is not flammable.

Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved self-contained breathing apparatus, solvent resistant gloves, protective clothing, apron and boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

7. HANDLING AND STORAGE

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

(Contd. on page 3)

According to Safe Work Australia

Printing date 11.03.2016 Revision: 25.01.2021

Product Name: DYNAGRIP DISC BRAKE SQUEAL FREE 118mL - 49661

(Contd. of page 2)

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Protect from extreme temperatures. Do not expose to temperatures above 43 °C. Protect from freezing. Keep in original container tightly closed when not in use.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Standards:

111-76-2 Ethanol, 2-butoxy-

NES STEL: 242 mg/m³, 50 ppm TWA: 96.9 mg/m³, 20 ppm

Sk

1310-58-3 Potassium hydroxide

NES Peak limitation: 2 mg/m³

Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapour below occupational exposure standards.

Respiratory Protection:

Use an approved organic vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Form: Liquid Colour: Red Odour: Bland

Odour Threshold: No information available

pH-Value: 7.9 - 8.4

Melting point/Melting range:

Initial Boiling Point/Boiling Range:

No information available

No information available

Flash Point: Not applicable

Flammability: Product is not flammable.

Auto-ignition Temperature: Not applicable

Decomposition Temperature: No information available

Explosion Limits:

Lower: Not applicable Upper: Not applicable

Vapour Pressure: No information available

(Contd. on page 4)

According to Safe Work Australia

Printing date 11.03.2016 Revision: 25.01.2021

Product Name: DYNAGRIP DISC BRAKE SQUEAL FREE 118mL - 49661

(Contd. of page 3)

Relative Density at 21 °C: 1.01

Vapour Density: No information available

Evaporation Rate: <1
Solubility in Water: Miscible

Partition Coefficient (n-octanol/water): No information available

Viscosity: Viscous

VOC: 0 g/L (calculated)

10 . STABILITY AND REACTIVITY

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Extreme temperatures.

Incompatible Materials: No information available

Hazardous Decomposition Products: Oxides of carbon.

11. TOXICOLOGICAL INFORMATION

Toxicity:

LD₅₀/LC₅₀ Values Relevant for Classification:

No information available

111-76-2 Ethanol, 2-butoxy-

 Oral
 LD₅₀
 1480 mg/kg (rat)

 Dermal
 LD₅₀
 400 mg/kg (rab)

1310-58-3 Potassium hydroxide

Oral LD₅₀ 273 mg/kg (rat)

Acute Health Effects

Inhalation: No information availableSkin: Causes severe skin burns.Eye: Causes serious eye damage.Ingestion: May be harmful if swallowed.

Skin Corrosion / Irritation: Causes severe skin burns.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

2-Butoxyethanol is classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No information available

(Contd. on page 5)

According to Safe Work Australia

Printing date 11.03.2016 Revision: 25.01.2021

Product Name: DYNAGRIP DISC BRAKE SQUEAL FREE 118mL - 49661

(Contd. of page 4)

Existing Conditions Aggravated by Exposure: No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available **Aquatic toxicity:** Harmful to aquatic life.

Persistence and Degradability: No information available

Bioaccumulative Potential: No information available

Mobility in Soil: No information available
Other adverse effects: No information available

13. DISPOSAL CONSIDERATIONS

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14. TRANSPORT INFORMATION

UN Number

ADG, IMDG, IATA UN1814

Proper Shipping Name

ADG, IMDG POTASSIUM HYDROXIDE SOLUTION

IATA Potassium hydroxide, solution

Dangerous Goods Class

ADG Class: 8 (C5) Corrosive substances. 8 Corrosive substances.

Packing Group:

ADG, IMDG, IATA

EMS Number: F-A,S-B

Hazchem Code: 2R

Special Provisions: No information available

Limited Quantities: 1L

Packagings & IBCs - Packing Instruction: P001, IBC02

Packagings & IBCs - Special Packing Provisions: No information available

Portable Tanks & Bulk Containers - Instructions: T7

Portable Tanks & Bulk Containers - Special

Provisions: TP2

15. REGULATORY INFORMATION

Australian Inventory of Chemical Substances:

111-76-2 Ethanol, 2-butoxy-

1310-58-3 Potassium hydroxide

(Contd. on page 6)

According to Safe Work Australia

Printing date 11.03.2016 Revision: 25.01.2021

Product Name: DYNAGRIP DISC BRAKE SQUEAL FREE 118mL - 49661

(Contd. of page 5)

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule: Not Scheduled.

16. OTHER INFORMATION

Date of Preparation or Last Revision: 25.01.2021

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds LC₅₀: Lethal concentration, 50 percent

 LO_{50} : Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Tox. (Oral) 4: Acute toxicity, Hazard Category 4
Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A
Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - December 2011"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. AFC International Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.