

According to Safe Work Australia

Printing date 04.03.2016 Revision: 25.01.2021

1. IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product Name: DYNAGRIP REMOVABLE SCREWLOCK - 10mL, 50mL - 10222, 50222

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use:

Medium strength screwlock - fills gaps up to 0.0006" around bearing housings protecting against loosening

Details of Manufacturer or Importer:

AFC International Pty Ltd 21-23 Hobart Street Riverstone NSW 2765

Phone Number: +61 2 9627 7125


Emergency telephone number: +61 2 9627 7125

2. HAZARDS IDENTIFICATION

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Signal Word Danger

Hazard Statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.
P264 Wash hands thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

(Contd. on page 2)

According to Safe Work Australia

Printing date 04.03.2016 Revision: 25.01.2021

Product Name: DYNAGRIP REMOVABLE SCREWLOCK - 10mL, 50mL - 10222, 50222

(Contd. of page 1)

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous	Hazardous Components:				
	Poly(oxy-1,2-ethanediyl), .alpha(2-methyl-1-oxo-2-propenyl)omega[(2-methyl-1-oxo-2-propenyl)oxy]-	50-55%			
	♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335				
	α,α -dimethylbenzyl hydroperoxide, Cumene hydroperoxide	1-3%			
	 Org. Perox. EF, H242; Acute Tox. (Inhalation) 3, H331; STOT RE 2, H373; Skin Corr. 1B, H314; Aquatic Chronic 2, H411; Acute Tox. (Oral) 4, H302; Acute Tox. (Dermal) 4, H312; Flam. Liq. 4, H227 				

4. FIRST AID MEASURES

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Information for Doctor: Treat symptomatically. Effects may be delayed.

Symptoms Caused by Exposure:

Inhalation: Harmful by inhalation. May cause respiratory irritation. May cause asthma-like symptoms.

Skin Contact: Causes skin irritation. May cause sensitisation by skin contact.

Eye Contact: Causes serious eye damage, redness and swelling.

Ingestion: May cause gastrointestinal irritation and nausea.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Water fog, dry chemical or carbon dioxide.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include irritating organic vapours.

Combustible Liquid Class 2.

Closed containers may explode when exposed to extreme heat. Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

(Contd. on page 3)

According to Safe Work Australia

Printing date 04.03.2016 Revision: 25.01.2021

Product Name: DYNAGRIP REMOVABLE SCREWLOCK - 10mL, 50mL - 10222, 50222

(Contd. of page 2)

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved self-contained breathing apparatus, solvent resistant gloves, protective clothing, apron and boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Avoid accidents, clean up immediately. Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Sweep or scrape up the spilled material and place into a suitable container for disposal.

7. HANDLING AND STORAGE

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container tightly closed when not in use. Protect from direct sunlight. Store below 65 °C.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Use an approved organic vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Chemical resistant polyethylene or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337.

(Contd. on page 4)

According to Safe Work Australia

Printing date 04.03.2016 Revision: 25.01.2021

Product Name: DYNAGRIP REMOVABLE SCREWLOCK - 10mL. 50mL - 10222, 5022

(Contd. of page 3)

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Form: Liquid Colour: Purple **Odour:** Mild organic

Odour Threshold: No information available pH-Value: No information available Melting point/Melting range: No information available

Initial Boiling Point/Boiling Range: >200 °C >160 °C Flash Point:

Flammability: Combustible Liquid Class 2 **Auto-ignition Temperature:** No information available **Decomposition Temperature:** No information available

Explosion Limits:

No information available Lower: Upper: No information available

Vapour Pressure at 26 °C: <5 mmHg **Relative Density:** >1.00 Vapour Density: >1 **Evaporation Rate:** Low Solubility in Water: Insoluble

Partition Coefficient (n-octanol/water): No information available

10 . STABILITY AND REACTIVITY

Possibility of Hazardous Reactions: Hazardous polymerisation may occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Temperatures in excess of 65 °C.

Incompatible Materials: No further relevant information available. Hazardous Decomposition Products: Irritating organic vapours

11. TOXICOLOGICAL INFORMATION

Toxicity:

LD ₅₀ /LC ₅₀	LD ₅₀ /LC ₅₀ Values Relevant for Classification:			
80-15-9 α,α -dimethylbenzyl hydroperoxide, Cumene hydroperoxide				
Oral	LD ₅₀	382 mg/kg (rat)		
Dermal	LD ₅₀	500 mg/kg (rat)		
Inhalation	LC ₅₀ /4 h	220 mg/l (rat)		

Acute Health Effects

Inhalation: Harmful if inhaled. May cause respiratory irritation. May cause asthma-like symptoms.

Skin: Causes skin irritation. May cause sensitisation by skin contact.

Eye: Causes serious eye damage, redness and swelling. Ingestion: May cause gastrointestinal irritation and nausea.

Skin Corrosion / Irritation: Causes skin irritation.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

(Contd. on page 5)

According to Safe Work Australia

Printing date 04.03.2016 Revision: 25.01.2021

Product Name: DYNAGRIP REMOVABLE SCREWLOCK - 10mL, 50mL - 10222, 50222

(Contd. of page 4)

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Saccharin and its salts are classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure: May cause respiratory irritation.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: Repeated or prolonged exposure may cause dermatitis and possible sensitization.

Existing Conditions Aggravated by Exposure: No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available

Aquatic toxicity:

Harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Persistence and Degradability: No information available

Bioaccumulative Potential: No information available

Mobility in Soil: No information available
Other adverse effects: No information available

13. DISPOSAL CONSIDERATIONS

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14. TRANSPORT INFORMATION

UN Number Not regulated
Proper Shipping Name Not regulated
Dangerous Goods Class Not regulated
Packing Group: Not regulated

15 . REGULATORY INFORMATION

Australian Inventory of Chemical Substances:				
25852-47-5	Poly(oxy-1,2-ethanediyl), .alpha(2-methyl-1-oxo-2-propenyl)omega[(2-methyl-1-oxo-2-propenyl)oxy]-			
18268-70-7	Hexanoic acid, 2-ethyl-, oxybis(2,1-ethanediyloxy-2,1-ethanediyl) ester			
67762-90-7	Siloxanes and silicones, dimethyl, reaction products with silica			
81-07-2	1,2-benzisothiazol-3(2H)-one 1,1-dioxide			
80-15-9	α,α -dimethylbenzyl hydroperoxide, Cumene hydroperoxide			
(Contd. on page 6)				

(Contd. on page 6)

According to Safe Work Australia

Printing date 04.03.2016 Revision: 25.01.2021

Product Name: DYNAGRIP REMOVABLE SCREWLOCK - 10mL, 50mL - 10222, 50222

(Contd. of page 5)

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule: Not Scheduled.

16. OTHER INFORMATION

Date of Preparation or Last Revision: 25.01.2021

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

 LC_{50} : Lethal concentration, 50 percent

LD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flam. Liq. 4: Flammable liquids, Hazard Category 4
Org. Perox. EF: Organic peroxides, Types E, F
Acute Tox. (Oral) 4: Acute toxicity, Hazard Category 4
Acute Tox. (Inhalation) 3: Acute toxicity, Hazard Category 3
Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

Dia alaimaan

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - December 2011"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. AFC International Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.